

No. CRSSA/14170-1(AD)/17 CRS Ref. CRSSA/17/2975/ Page 1 of 4

Date: 23/11/2017

#### The following merchandise was (were) submitted and identified by the client as:

Sample Description : PBR 1220

Manufacturer : TAKHT E JAMSHID PETROCHEMICAL COMPANY

Sample Receiving Date : 21/11/2017

Testing Period : 21/11/2017 to 23/11/2017

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analyst : Tan Mei Ann

SGS (MALAYSIA) SDN. BHD.

TAY SIAM PINE B.Sc. (HONS) MMIC TECHNICAL MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.sapx">http://www.sgs.com/en/Terms-and-Conditions.sapx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms



No. CRSSA/14170-1(AD)/17 CRS Ref. CRSSA/17/2975/ Date: 23/11/2017 Page 2 of 4

Test results:

Test Part Description:

Sample Description : PBR 1220

Manufacturer : TAKHT E JAMSHID PETROCHEMICAL COMPANY

#### RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013 (Determination of Cd by ICP-OES)	N.D.	2	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013 (Determination of Pb by ICP-OES)	N.D.	2	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013/AMD1:2017 (Determination of Hg by ICP-OES)	N.D.	2	1000
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321-7-2:2017 (Determination of CrVI by UV-Vis)	N.D.	8	1000

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) The result of Hexavalent Chromium (Cr(VI)) is "ND" as the result of Chromium (Cr) is "ND", and confirmation test of Hexavalent Chromium (Cr(VI)) is not required.
- (e) If the Chromium (Cr) content is greater than the MDL, IN result will be shown in the report. And confirmation test of Hexavalent Chromium (Cr(VI)) is required.
- (f) This report supersedes report no. CRSSA/14170-1/17

SGS (MALAYSIA) SDN. BHD.

TAY SIAM PINE B.Sc. (HONS) MMIC TECHNICAL MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.sapx">http://www.sgs.com/en/Terms-and-Conditions.sapx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms



No. CRSSA/14170-1(AD)/17 CRS Ref. CRSSA/17/2975/ Page 3 of 4

Date: 23/11/2017

#### Test Part Description:

Sample Description : PBR 1220

Manufacturer : TAKHT E JAMSHID PETROCHEMICAL COMPANY



SGS authenticate the photo on original report only

SGS (MALAYSIA) SDN. BHD.

TAY SIAM PINE B.Sc. (HONS) MMIC TECHNICAL MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Term



No. CRSSA/14170-1(AD)/17 CRS Ref. CRSSA/17/2975/

Page 4 of 4

#### 1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321-5 2013

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

#### 2. DETERMINATION OF LEAD CONTENT BY IEC 62321-5 2013

Date: 23/11/2017

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

## 3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321-4 2013/AMD1 2017

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.1-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

### 4a. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-2 2017 (Other Materials)

Sample Preparation

Digestion at 150~160°C

Separating to Obtain Aqueous Phase

pH Adjustment

Add Diphenyl-Carbazide for Color Development

Analyses by UV-Spectrophotometer (540 nm)

#### 4b. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-2 2017 (Soluble Polymers)

Sample Preparation

Add Digestion Solution

Ultrasonicate Sample

pH Adjustment

Add Diphenyl-Carbazide for Color Development

Analyses by UV- Spectrophotometer (540 nm)

\*\*\*\* End of Report \*\*\*\*

SGS (MALAYSIA) SDN. BHD.

TAY SIAM PINE B.Sc. (HONS) MMIC TECHNICAL MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.gov/en